

## **MEDICATION ORGANIZING SYSTEM**

### **Field of the Invention**

This invention relates to medication organizers, and particularly to an improved  
5 medication organizing system that allows any patient, including the elderly or those  
having little manual dexterity, to rapidly and easily prepare a hermetically sealed  
package of tablets, capsules, and the like for each of their required daily dosages.

### **Background of the Invention**

10 Doctors frequently prescribe a series of daily medications for their patients.  
These medications are typically prescribed for consumption at a particular time of the  
day. For example, if a medication must be taken four times per day, then it is common  
for a patient to consume one tablet in the morning, one at noon, one in the evening, and  
one at bedtime. Many patients are therefore faced with taking several medications  
15 several times a day. A patient therefore must plan his medication regime each day.  
Frequently, as a result of travel or running daily errands, the medications must be stored  
in easily transportable and accessible containers to allow the patient to quickly access  
them when they are needed. Additionally, since many patients who take multiple  
dosages of medications are elderly, it is helpful that medication organizers be easy to  
20 use and not require a lot of manual dexterity by the user.

Early examples of medication organizers typically provided a means of sorting  
the separate dosages of medication into separate compartments, but the compartments

Docket 1555 (Gibson)

were typically integral with the organizer and therefore not easily transportable. One early example of this type of organizer is that of U.S. Patent 4,318,477 to Kerpe, issued March 9, 1982 (hereinafter the '477 patent). This patent disclosed a pharmaceutical package having a plurality of containers with each container including an open mouth  
5 that can swing open and closed. Each container is sufficiently large enough to receive a plurality of medication. The bottom of each container is concave to facilitate easy removal of the medication stored within. The pharmaceutical package of the '477 patent includes a plurality of containers that are integral with the package and therefore, when the user is planning to travel, the entire package must be transported or the individual  
10 containers must be emptied and transferred to separate containers.

Later examples of medication organizers typically provided a device for placing the separate dosages of medication into storage containers such as resealable plastic bottles. U.S. Patent 4,749,085 for example, to Denney, issued June 7, 1988 (hereinafter the '085 patent) discloses a rectangular, open-top shallow tray with enclosing side walls  
15 and a top panel with markings designating each day of the week equally spaced across the top. A set of pill boxes reside in individual compartments corresponding to each day of the week with each set of pill boxes corresponding to various times of the day. The pill boxes are frictionally and removably held in place in the tray so that each set of the pillboxes can be individually removed to allow a patient to carry one or more days of  
20 medication. Although the '085 patent and similar prior art medication organizers provided an adequate means of organizing the separate medication dosages for each dosage period of the day, the resultant storage containers are typically bulky and

Docket 1555 (Gibson)

awkward to carry. If a patient were planning a week long trip away from home, he would likely be required to carry 28 separate bulky packages corresponding to the 4 dosages per day and 7 days that he were planning to be away from home.

Later examples of medication organizers include that of U.S. Patent 6,293,403  
5 to Holmberg, issued September 25, 2001 (hereinafter the '403 patent). This patent discloses a system for organizing, storing, and dispensing a plurality of sets of separate packets corresponding to the days of the week or the dates of the month. The system includes a packet organizer, which may be a tray or a panel, to arrange the sets and subsets of packets by day or date and time of day. The '403 patent discloses the use of  
10 packets which may comprise resealable, flexible transparent envelopes, which must be sealed one at a time by the patient.

Although the '403 patent greatly improved the transportability of daily medication dosages, the packets must be sealed individually and therefore require quite a bit of handling by the user. Frequently, elderly people are those most likely to use  
15 medication organizers and, in many cases, it may be difficult or nearly impossible for some patients, especially those with arthritic joints in their hands, to seal individual packets by hand. Sealing of individual packets, such as zip-lock packets, usually requires good manual dexterity on the part of the user.

The '403 patent, while providing an adequate means of organizing medications  
20 for most individuals having good manual dexterity, does not provide an adequate means for those patients who lack manual dexterity, such as elderly patients. Accordingly, a need therefore exists for a medication organizer that employs small, easily transportable

Docket 1555 (Gibson)

packages of medication that can be quickly and easily filled, sealed, handled, and reopened by any user, including the elderly and those with poor manual dexterity.

### Summary of the Invention

5           The proposed invention is an improved medication organizing system for allowing patients to rapidly and easily prepare hermetically sealed dosage packages to set up their medication regime for an entire week. The device includes seven hoppers to allow the patient to prepare a set of hermetically sealed medication packages for a given time for each day of the week. After being filled, each package in the set of seven  
10   packages is hermetically sealed simultaneously by simply loading the set into a sealing unit and pulling a lever. Sealing of the packages does not require manual manipulation of the individual packages by the user, such as would be required for individual packages with zip-lock seals. Information is printed on the front of the packages to show the day of the week and prompt the user to write in the date and check a block to  
15   identify the dosage period of the day. The present invention makes it very convenient for patients to prepare individual dosage packages to set up their medication supply for an entire week. The device has the advantage of creating a hermetically sealed package for each individual dosage period. By creating individual sealed dosage packages, it makes it very easy for patients to grab the correct number of packages for the time they  
20   will be away from their house. Since they are not bulky, the packages have the additional advantage of being easy to transport. By being hermetically sealed, the medications are protected from any contaminants. The individual packages within the

Docket 1555 (Gibson)

set of seven packages are separated by perforations, making it easy for a user to separate individual packages when required. Tear areas are provided on each package to provide for easy opening of the sealed packages. The packages are constructed with a measure of stiffness and rigidity and therefore enable easy handling by the user.

5

### Description of the Drawings

FIG. 1 is a perspective view of the preferred embodiment of the medication organizing and dispensing unit and the sealing unit of the present invention with the hopper doors in the normally closed position.

10 FIG. 2 is a perspective view of the medication organizing and dispensing unit and the sealing unit of FIG. 1 with the hopper doors open and the sealing unit cover closed.

FIG. 3 is a perspective view of the medication organizing and dispensing unit and the sealing unit of FIG. 1 with the sealing unit cover open.

15 FIG. 4 is a side view of the medication organizing and dispensing unit and sealing unit of FIG. 1.

FIG. 5 is a plan view of a multi-compartmented container for use with the medication organizer of FIG. 1.

20 FIG. 6 is a plan view of multi-compartmented container of FIG. 5 in which the individual packages have been annotated with the date and time of the day.

FIG. 7 is a side sectional view of a package taken along lines 7-7 of FIG. 6.

FIG. 8 is a perspective view of the medication organizing system with a multi-

Docket 1555 (Gibson)

compartmented container loaded on the nozzles and with the hopper door closed.

FIG. 9 is a perspective view of a preferred embodiment of the medication organizing system with a multi-compartment container loaded on the nozzles and with the hopper door open.

5        FIG. 10 is a perspective view of the medication organizing system of FIG. 8 with a multi-compartment container loaded into the heat sealing unit.

FIG. 11 is a perspective view of the medication organizing system of FIG. 8 with a multi-compartment container being sealed by the heat sealing unit.

FIG. 12 is a side sectional view of an individual filling section of the medication  
10        organizing system with the hopper door closed and medication loaded into the hopper.

FIG. 13 is a side sectional view of an individual filling section of the medication organizing system with the hopper door partially open and medication falling into the nozzle.

FIG. 14 is a side sectional view of an individual filling section of the medication  
15        organizing system with the hopper door fully open and medication falling into the package.

FIGS. 15 is a side view of the medication organizing system showing the sealing unit cover open and a multi-compartment container loaded into the sealing unit.

FIG. 16 is a side view of the medication organizing system showing the sealing  
20        unit cover closed and sealing a multi-compartment container.

### Index to Reference Numerals in Drawing

	20	medication organizing system
	22	medication sorting and dispensing unit
5	24	base section
	26	top section
	28	bottom surface
	30	hopper
	32	vertical nozzle
10	34	hopper door
	36	handle (of hopper)
	38	multi-compartmented container
	40	sealing unit
	42	cover (of sealing unit)
15	44	top (of cover)
	46	shelf
	47	passageway
	48	hinge
	50	heating element
20	52	heat sensor
	54	packages
	56	front wall
	58	rear wall
	60	overlap
25	62	lateral seams
	64	longitudinal seam
	66	bottom (of the container)
	68	opening
	70	top (of the container)
30	72	perforations
	74	tear notches
	76	printed characters
	78	day of the week
	80	date prompt
35	82	selection blocks
	84	U-shaped notch
	86	inner front layer
	88	outer front layer
	90	rear layer
40	92	angled end (of nozzle)
	94	gusset
	96	medications

98	stops
100	light or LED
102	date

5

## Detailed Description of the Invention

A perspective view of the preferred embodiment of a medication organizing system 20 according to the present invention is shown in FIG. 8. The medication organizing system 20 includes a medication sorting and dispensing unit 22 having a base section 24 and a top section 26. The base section 24 includes a flat bottom surface 28 to permit placement of the dispensing unit 22 on a piece of furniture such as the top of a table or dresser. A plurality of hoppers 30 is arranged in a line along the top section 26. A vertical nozzle 32, a portion of which is visible in FIG. 8, is attached to each hopper 30 and a plurality of hopper doors 34 is disposed at the bottom of each hopper 30. The hopper doors 34, which are depicted closed in FIG. 8, have a common handle 36. The medication organizing system 20 includes a multi-compartmented container 38 that can be lifted and fitted onto the nozzles 32 as shown. The medication organizing system 20 also includes a sealing unit 40 with a cover 42 that is depicted closed in FIG. 8. The top 44 of the cover 42 serves as a shelf 46 for supporting the multi-compartmented container 38 when it is lifted and fitted onto the nozzles 32.

Referring to the perspective view of the medication sorting and dispensing unit 22 shown in FIG. 1, each of the vertical nozzles 32 extends from one of the hoppers 30. The dispensing unit 22 in FIG. 1 is depicted with the handle 36 pushed in and all of the hopper doors 34 closed.



Docket 1555 (Gibson)

When the common handle 36 is pulled out, as shown in FIG. 2, all of the hopper doors 34 are open, thereby opening a passageway 47 between each hopper 30 and its associated nozzle 32.

Referring to FIG. 3, the cover 42 of the sealing unit 40 is connected by hinges 48 to the base section 24. The sealing unit 40 includes an heating element 50 that is connected to an electrical source. A heat sensor 52 is located in the cover 42 of the sealing unit 40. The cover 42 is normally latched in the closed position.

A side view of the medication sorting and dispensing unit 22 in FIG. 4 shows the nozzles 32 are aligned with the top 44 of the cover 42. The common handle 36 for the hopper doors (not shown) is shown extending from the top section 26 of the dispensing unit 22.

Referring to FIG. 5, the multi-compartmented container 38 consists of a plurality of packages 54 arranged side by side. The container 38 includes an elongated front wall 56 comprised of one or more layers and an elongated rear wall 58 comprised of one or more layers. As shown by the overlap 60 depicted in FIG. 5, the rear wall 58 is typically wider than the front wall 56 to facilitate easy opening of the individual packages 54 when they are fitted to the nozzles (not shown) of the medication sorting and dispensing unit (not shown). The multi-compartmented container 38 is divided into separate packages 54 by the lateral seams 62 spaced longitudinally along the container 38. The individual packages 54 include longitudinal seams 64 at the bottom 66 of the container 38 and have an opening 68 at the top 70 of the container where the rear wall 58 overlaps the front wall 56. Perforations 72 are formed along the lateral seams 62 to

Docket 1555 (Gibson)

facilitate easy separation of the individual packages 54 when desired. Tear notches 74 are provided near the top 70 of the packages 54 to enable effortless opening of the packages 54. The tear notches 74 which facilitate easy tearing and opening of the packages could easily be small slits or die-cuts partially through the wall thickness of the front and rear walls. The tear notches 74 typically do not extend beyond the lateral seams 62 so that, once the packages 54 are sealed, the integrity of the sealed packages 54 is maintained until torn by the user. The individual packages 54 also include printed characters 76 to designate the day of the week 78, a date prompt 80 consisting of the word "date:" followed by a space to prompt the user to write in the date the medication package 54 is intended for, and four selection blocks 82 plus printing identifying the four typical dosage periods of each day. After the individual packages 54 are filled with medication in the form of tablets, capsules, and the like (not shown), and the date has been written on the package 54 and the dosage period selection block 82 checked, the user can easily separate the packages 54 as needed. At this time all the pertinent information identifying the date and time of the dosage will be on each individual package 54. An example depicting the multi-compartmented container 38 with the pertinent information entered by the user is depicted in FIG. 6. The individual packages 54 may also have a U-shaped notch 84, as shown in the far left package in FIG. 6, in the front wall 56 extending from the opening 68 to enable easier opening of the packages.

A side sectional view of an individual package 54 is depicted in FIG. 7. Preferably the packages 54 are constructed of two front layers, including an inner front layer 86 and an outer front layer 88, and a single rear layer 90. The preferred materials

Docket 1555 (Gibson)

of construction are Surlyn™ for the inner front layer 86, aluminum foil for the outer front layer 88, and Surlyn™ for the rear layer 90. The multi-compartmented container (not shown) may, however, be constructed with a single front layer and a single rear layer and many different foils and plastics would be acceptable for construction of these layers.

Figures 8 through 16 illustrate the sequence of events as the medication organizing system 20 is used to prepare daily medication packages for an individual. It should be noted that the medication organizing system is designed to be simple to operate and to be used by any individual including elderly people or those who may be lacking in manual dexterity. There are many examples in the prior art of medication organizing devices that employ small objects such as bottles, bags, or packets. These devices may require individual handling and placement of up to 28 of these small objects to provide medication for the 7 days and 4 dosage periods in a typical week. The present invention reduces the amount of handling and therefore reduces the time involved to prepare the individual dosage packages by providing a simple medication sorting and dispensing unit coupled with a multi-compartmented container and a sealing unit that seals a plurality of packages at one time. This saves a lot of time over medication organizers that require an individual to seal 28 packages individually to prepare one week's worth of dosages.

To illustrate the operation of the medication organizing system 20, refer now to FIG. 8, which depicts the medication sorting and dispensing unit 22 that has been loaded with an empty multi-compartmented container 38. The container 38 has been

Docket 1555 (Gibson)

lifted and fitted onto the vertical nozzles 32 until the bottom 66 of the container 38 rests upon the shelf 46 created by the closed top 44 of the cover 42. As a result of the design, the dimensions, and the materials of construction of the container 38 and the medication sorting and dispensing unit 22, the container sits upright on the shelf 46 and remains in place, with the individual packages 54 held around the nozzles 32.

Referring now to FIG. 12, a side sectional view of the medication sorting and dispensing unit 22 and an individual package 54, when first lifted upon the nozzles 32, the nozzles 32 easily enter the package as a result of the angled end 92 of the nozzle, the overlap 60 between the rear wall 58 and the front wall 56, and the construction details of the packages 54. The packages 54 may, for example, include a gusset 94 at the location of the longitudinal seam 64 at the bottom of each package 54. The packages 54 rest upon the shelf 46 after they are fit onto the nozzles 32. As depicted in FIG. 12, the nozzles 32 extend approximately halfway into the packages 54 after they are fitted thereon and rest on the shelf 46. As shown in FIG. 12, at this point the handle 36 is pushed in and the hopper doors 34 are closed. The user would then load medications 96 such as tablets, caplets, capsules, gel tabs, or the like into each hopper 30.

Referring now to FIG. 9, after all the hoppers 30 have been filled with medications (not shown), the common handle 36 connected to the hopper doors 34 is pulled out. The medications (not shown) that have been loaded into the individual hoppers 30 fall into the individual packages 54 in the multi-compartmented container 38. This is also illustrated in the side sectional view of FIG. 13, where the handle 36 is depicted pulled out and the medications 96 are caused to fall by gravity into the

Docket 1555 (Gibson)

individual packages 54.

Referring to FIG. 14, after the medications 96 have fallen into the individual packages 54 they are concentrated in the lower portion of the packages 54 as shown.

The angled end 92, being shorter on the rear side of the nozzle 32, allows the packages  
5 to slip easily off of the nozzle 32 as a result of the rear wall 58 of the package 54 clearing the nozzle 32 prior to the front wall 56.

Referring to FIG. 10 and FIG. 15, after the packages 54 have been filled, the cover 42 of the sealing unit 40 is opened to expose the heating element 50. The multi-compartmented container 38 is then turned on its side and laid across the heating  
10 element 50 with the top 70 of the container 38 against the stops 98 at the back of the sealing unit 40. When fully inserted into the sealing unit 40 as depicted, the heating element 50 is underneath the portion of the individual packages 54 having the day of the week 78 printed thereon.

Referring to FIG. 11 and FIG. 16, the cover 42 of the sealing unit 40 is then  
15 closed and held closed until the light or LED 100 illuminates thereby signifying that the heat sensor 52 has detected that the front wall 56 of the packages 54 have reached an appropriate temperature to effectively seal them. The light or LED 100 (FIG. 11) would typically be mounted on the cover 42 as shown but also could be mounted anywhere on the medication sorting and dispensing unit 22 that is conspicuous and easily viewed by  
20 the user when the container 38 is in place in the sealing unit 40. The light or LED 100 is also constructed of a large enough size to make it conspicuous and easily visible to an elderly user.

Docket 1555 (Gibson)

Referring again to FIG. 6, the net result of applying the present invention, the medication organizing system, is a sealed multi-compartmented container 38 composed of individual sealed packages 54. As the outer front layer 88 of the container 38 is typically constructed of aluminum foil, the medications are not observable from the front of the packages 54 as shown. The outer front layer is ink receptive, allowing the user to enter the date 102 and check the selection block 82 to identify the dosage period, as shown.

Referring to FIG. 6, since the rear wall 58 is typically constructed of Surlyn™ or polyethylene, the medications (not shown) are visible from the rear of the packages 54. By tearing along the perforations 72 the packages 54 can be separated from the container 38. The design and arrangement of the multi-compartmented container 38 and the individual packages 54 therefore enable the user to easily separate the desired amount of packages required to cover his or her medication needs for the time they are planning to be away from home. The individual packages have the advantage of being very compact and easy to carry. The packages 54 are preferably 1.625 inches wide by 2.75 inches long. The width of an individual package 54 is measured between the lateral seams 62 and the length is measured from the bottom 66 to the top 70 of the container.

Although the description above contains many specific descriptions and typical materials of construction, these should not be construed as limiting the scope of the invention but as merely providing illustrations of some of the presently preferred embodiments of this invention.

Thus the scope of the invention should be determined by the appended claims

Docket 1555 (Gibson)

and their legal equivalents, rather than by the examples given.

Docket 1555 (Gibson)